

Item to be Scouted

\_\_\_\_\_ days  
Opportunities will be posted for 30 days unless specified

Please describe the item application/ the end use of item.\* Provide the item number if applicable: (N95 Mask vs Protective Mask).



Supplier Scouting Number (NIST MEP use)

Scouting customer/product [NAICS Code](#), if known

|                                                                                                    |                                                                      |                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TECHNICAL INFORMATION:                                                                             | 1. Supplier Information                                              | a. Type of supplier being sought*                                                                                                                                                                                                                               |
|                                                                                                    |                                                                      | <input type="checkbox"/> Manufacturer <input type="checkbox"/> Contract Manufacturer <input type="checkbox"/> Distributor <input type="checkbox"/> Other _____                                                                                                  |
|                                                                                                    | 2. Summary of Technical Specifications and Performance Requirements: | b. Reason for scouting submission*                                                                                                                                                                                                                              |
|                                                                                                    |                                                                      | <input type="checkbox"/> 2 <sup>nd</sup> Supplier <input type="checkbox"/> Price <input type="checkbox"/> Re-shore <input type="checkbox"/> Past supplier no longer available <input type="checkbox"/> New Product Startup <input type="checkbox"/> Other _____ |
|                                                                                                    |                                                                      | a. Describe the manufacturing processes (elaborate to provide as much detail as possible).*                                                                                                                                                                     |
|                                                                                                    |                                                                      | b. Provide dimensions / size / tolerances / performance specifications for the item.*                                                                                                                                                                           |
| c. List required materials needed to make the product, including materials of product components.* |                                                                      |                                                                                                                                                                                                                                                                 |

|                           |                                                                           |                                                                                                                                    |                                                                                 |
|---------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| BUSINESS INFORMATION:     | 2. Summary of Technical Specifications and Performance Requirements cont: | d. Are there applicable certification requirements? * <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Please explain   |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
|                           |                                                                           | e. Are there applicable regulations? * <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Please explain                  |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
|                           |                                                                           | f. Are there any other standards, requirements, etc.? * <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Please explain |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
|                           |                                                                           | g. Additional Comments: Is there other information that would impact the item's performance or usefulness? Please explain.         |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
|                           | BUSINESS INFORMATION:                                                     | 3. Volume and Pricing                                                                                                              | 3a. Estimated potential business volume (i.e., # Units Per Day, Month, Year) *: |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
| 4. Delivery Requirements: |                                                                           | b. Estimated target price / unit cost information (flexible and negotiable <u>not</u> accepted) *:                                 |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
|                           |                                                                           | a. When is it needed by? (Immediate, 30 Days, 6 months, etc.) *                                                                    |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
|                           |                                                                           | b. Describe packaging requirements (i.e., individually/group packaging) *                                                          |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
|                           |                                                                           | c. Where will this item be shipped? *                                                                                              |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |
| 5. Additional Comments:   | Is there other information you would like to include?                     |                                                                                                                                    |                                                                                 |
|                           |                                                                           |                                                                                                                                    |                                                                                 |

Photos or diagrams of the item (helpful but not required).

Chassis Mount

# MPI Series

## Multi-Purpose International Transformers

### High Performance with Greater Volumetric Efficiency

Signal's MPI transformers feature higher volumetric efficiency for improved performance compared with conventional 50/60 Hz transformers. They also incorporate international safety features making them ideal for worldwide applications.

#### General Specifications

- Power - 200 VA to 900 VA
- Dielectric Strength - 4000 Vrms Hipot
- Primaries - Dual / tapped primaries 100 V, 115 V, 200 V, 215 V, 230 V - 50/60 Hz
- Dual Secondaries - Series or parallel
- Electrostatic Shield - Solid copper full width foil
- Touch Safe IP20 Type Terminals - Quick connect 3/16" and 1/4" Fast-On, plus screw/binding clamps
- Leakage - <100 micro amps
- Insulation System - Class F, 155° C

#### Agency Certifications

- UL 1446, File # E66312, UL recognized to UL 506 / UL 5085-2, File # E63829
- CSA certified to C22.2 No. 66.1, File # 221070
- Designed to meet VDE 0805 and VDE 0550
- TUV Rheinland certified to IEC EN61558-2-4 and EN61558-2-6, License # R72042497



## Part Number Selection

| Part Number | Secondary       |               |
|-------------|-----------------|---------------|
|             | Series          | Parallel      |
| MPI-200-10  | 10 VCT @ 20.0 A | 5 V @ 40.0 A  |
| MPI-250-10  | 10 VCT @ 25.0 A | 5 V @ 50.0 A  |
| MPI-300-10  | 10 VCT @ 30.0 A | 5 V @ 60.0 A  |
| MPI-400-10  | 10 VCT @ 40.0 A | 5 V @ 80.0 A  |
| MPI-650-10  | 10 VCT @ 65.0 A | 5 V @ 130.0 A |
| MPI-900-10  | 10 VCT @ 90.0 A | 5 V @ 180.0 A |
| MPI-200-12  | 12 VCT @ 16.7 A | 6 V @ 33.3 A  |
| MPI-250-12  | 12 VCT @ 20.8 A | 6 V @ 41.7 A  |
| MPI-300-12  | 12 VCT @ 25.0 A | 6 V @ 50.0 A  |
| MPI-400-12  | 12 VCT @ 33.3 A | 6 V @ 66.6 A  |
| MPI-650-12  | 12 VCT @ 54.2 A | 6 V @ 108.4 A |
| MPI-900-12  | 12 VCT @ 75.0 A | 6 V @ 150.0 A |
| MPI-200-16  | 16 VCT @ 12.5 A | 8 V @ 25.0 A  |
| MPI-250-16  | 16 VCT @ 15.6 A | 8 V @ 31.2 A  |
| MPI-300-16  | 16 VCT @ 18.8 A | 8 V @ 37.6 A  |
| MPI-400-16  | 16 VCT @ 25.0 A | 8 V @ 50.0 A  |
| MPI-650-16  | 16 VCT @ 40.6 A | 8 V @ 81.2 A  |
| MPI-900-16  | 16 VCT @ 56.3 A | 8 V @ 112.5 A |
| MPI-200-20  | 20 VCT @ 10.0 A | 10 V @ 20.0 A |
| MPI-250-20  | 20 VCT @ 12.5 A | 10 V @ 25.0 A |
| MPI-300-20  | 20 VCT @ 15.0 A | 10 V @ 30.0 A |
| MPI-400-20  | 20 VCT @ 20.0 A | 10 V @ 40.0 A |
| MPI-650-20  | 20 VCT @ 32.5 A | 10 V @ 65.0 A |
| MPI-900-20  | 20 VCT @ 45.0 A | 10 V @ 90.0 A |
| MPI-200-24  | 24 VCT @ 8.3 A  | 12 V @ 16.7 A |
| MPI-250-24  | 24 VCT @ 10.4 A | 12 V @ 20.8 A |
| MPI-300-24  | 24 VCT @ 12.5 A | 12 V @ 25.0 A |
| MPI-400-24  | 24 VCT @ 16.7 A | 12 V @ 33.3 A |
| MPI-650-24  | 24 VCT @ 27.1 A | 12 V @ 54.2 A |
| MPI-900-24  | 24 VCT @ 37.5 A | 12 V @ 75.0 A |

| Part Number | Secondary        |               |
|-------------|------------------|---------------|
|             | Series           | Parallel      |
| MPI-200-28  | 28 VCT @ 7.1 A   | 14 V @ 14.2 A |
| MPI-250-28  | 28 VCT @ 8.9 A   | 14 V @ 17.9 A |
| MPI-300-28  | 28 VCT @ 10.7 A  | 14 V @ 21.4 A |
| MPI-400-28  | 28 VCT @ 14.3 A  | 14 V @ 28.6 A |
| MPI-650-28  | 28 VCT @ 23.2 A  | 14 V @ 46.4 A |
| MPI-900-28  | 28 VCT @ 32.1 A  | 14 V @ 64.2 A |
| MPI-200-36  | 36 VCT @ 5.6 A   | 18 V @ 11.2 A |
| MPI-250-36  | 36 VCT @ 6.9 A   | 18 V @ 13.8 A |
| MPI-300-36  | 36 VCT @ 8.3 A   | 18 V @ 16.7 A |
| MPI-400-36  | 36 VCT @ 11.1 A  | 18 V @ 22.2 A |
| MPI-650-36  | 36 VCT @ 18.1 A  | 18 V @ 36.2 A |
| MPI-900-36  | 36 VCT @ 25.0 A  | 18 V @ 50.0 A |
| MPI-200-40  | 40 VCT @ 5.0 A   | 20 V @ 10.0 A |
| MPI-250-40  | 40 VCT @ 6.3 A   | 20 V @ 12.6 A |
| MPI-300-40  | 40 VCT @ 7.5 A   | 20 V @ 15.0 A |
| MPI-400-40  | 40 VCT @ 10.0 A  | 20 V @ 20.0 A |
| MPI-650-40  | 40 VCT @ 16.3 A  | 20 V @ 32.6 A |
| MPI-900-40  | 40 VCT @ 22.5 A  | 20 V @ 45.0 A |
| MPI-200-48  | 48 VCT @ 4.2 A   | 24 V @ 8.3 A  |
| MPI-250-48  | 48 VCT @ 5.2 A   | 24 V @ 10.4 A |
| MPI-300-48  | 48 VCT @ 6.3 A   | 24 V @ 12.6 A |
| MPI-400-48  | 48 VCT @ 8.3 A   | 24 V @ 16.7 A |
| MPI-650-48  | 48 VCT @ 13.5 A  | 24 V @ 27.1 A |
| MPI-900-48  | 48 VCT @ 18.8 A  | 24 V @ 37.5 A |
| MPI-200-230 | 230 VCT @ 0.87 A | 115 V @ 1.7 A |
| MPI-250-230 | 230 VCT @ 1.1 A  | 115 V @ 2.2 A |
| MPI-300-230 | 230 VCT @ 1.3 A  | 115 V @ 2.6 A |
| MPI-400-230 | 230 VCT @ 1.7 A  | 115 V @ 3.4 A |
| MPI-650-230 | 230 VCT @ 2.8 A  | 115 V @ 5.6 A |
| MPI-900-230 | 230 VCT @ 3.9 A  | 115 V @ 7.8 A |



**Custom versions available upon request.**





128 Atlantic Avenue, Lynbrook, NY 11563  
Toll Free 866-239-5777 | Tel 516-239-5777 | Fax 516-239-7208  
sales@signaltransformer.com | techhelp@signaltransformer.com

[belfuse.com/signal](http://belfuse.com/signal)

## Mechanical Specifications

| VA   | Mechanical Dimensions |                 |                 |                 |                 | Weight          | Slot Size                   |
|------|-----------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------------------|
|      | L                     | W               | H               | ML              | MW              |                 |                             |
| Size | Inches (mm)           |                 |                 |                 |                 | lbs (kg)        | Inches (mm)                 |
| 200  | 3.75<br>(95.3)        | 4.30<br>(109.2) | 3.66<br>(93.1)  | 3.25<br>(82.6)  | 2.80<br>(71.1)  | 6.22<br>(2.82)  | .203 x .375<br>(5.2 x 9.5)  |
| 250  | 4.12<br>(104.8)       | 4.13<br>(104.9) | 3.86<br>(98.2)  | 3.62<br>(92.1)  | 2.60<br>(66.1)  | 6.76<br>(3.07)  | .203 x .375<br>(5.2 x 9.5)  |
| 300  | 4.12<br>(104.8)       | 4.30<br>(109.2) | 3.86<br>(98.2)  | 3.62<br>(92.1)  | 2.91<br>(74.0)  | 7.80<br>(3.54)  | .203 x .375<br>(5.2 x 9.5)  |
| 400  | 4.12<br>(104.8)       | 5.04<br>(128.1) | 3.86<br>(98.2)  | 3.62<br>(92.1)  | 3.50<br>(89.0)  | 9.82<br>(4.46)  | .203 x .375<br>(5.2 x 9.5)  |
| 650  | 5.25<br>(133.3)       | 4.70<br>(119.4) | 4.63<br>(117.8) | 4.50<br>(114.3) | 3.41<br>(86.7)  | 14.83<br>(6.73) | .281 x .563<br>(7.1 x 14.3) |
| 900  | 5.25<br>(133.3)       | 5.50<br>(139.7) | 4.63<br>(117.8) | 4.50<br>(114.3) | 4.20<br>(106.8) | 19.84<br>(9.01) | .281 x .563<br>(7.1 x 14.3) |



Custom versions available upon request.



128 Atlantic Avenue, Lynbrook, NY 11563  
Toll Free 866-239-5777 | Tel 516-239-5777 | Fax 516-239-7208  
sales@signaltransformer.com | techhelp@signaltransformer.com

[belfuse.com/signal](http://belfuse.com/signal)

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Bel:

[MPI-900-230](#) [MPI-250-230](#) [MPI-300-36](#) [MPI-400-48](#) [MPI-200-48](#) [MPI-300-10](#) [MPI-300-16](#) [MPI-300-20](#) [MPI-200-10](#) [MPI-900-28](#) [MPI-650-10](#) [MPI-900-36](#) [MPI-300-24](#) [MPI-900-48](#) [MPI-200-28](#) [MPI-250-10](#) [MPI-400-230](#) [MPI-650-16](#) [MPI-650-230](#) [MPI-200-16](#) [MPI-250-12](#) [MPI-200-230](#) [MPI-300-48](#) [MPI-650-36](#) [MPI-900-16](#) [MPI-200-24](#) [MPI-650-20](#) [MPI-200-20](#) [MPI-250-16](#) [MPI-250-24](#) [MPI-400-28](#) [MPI-200-12](#) [MPI-250-36](#) [MPI-400-36](#) [MPI-650-40](#) [MPI-250-28](#) [MPI-650-24](#) [MPI-250-40](#) [MPI-400-20](#) [MPI-400-10](#) [MPI-650-12](#) [MPI-400-24](#) [MPI-900-24](#) [MPI-300-40](#) [MPI-650-28](#) [MPI-200-36](#) [MPI-300-12](#) [MPI-400-16](#) [MPI-250-48](#) [MPI-400-12](#) [MPI-900-12](#) [MPI-200-40](#) [MPI-650-48](#) [MPI-900-10](#) [MPI-250-20](#) [MPI-900-20](#) [MPI-300-230](#) [MPI-300-28](#) [MPI-900-40](#) [MPI-400-40](#)