

ITEM OPPORTUNITY SYNOPSIS

Scouting Number: 2023-181
Name of the item to be scouted: Corvette Door Protection Product
State item to be used in: Florida

Describe the Item:

Please describe the item application/the end use of the item.

Item is a premium door protection product that also provides interior protection benefits. It will help protect your door and fenders (near your door) from being nicked or scratched, depending on the parking angle. Further, it will minimize sun fade to your seats and door panels.

Supplier Information:

Type of Supplier Being Sought (select from the list below):

Manufacturer x
Contract Manufacturer
Distributor
Other (Please Specify)

Reason for Scouting Submission (select from the list below)

2nd Supplier
Price
Re-Shore
Past supplier no longer available
New Product Startup x
BABA
Other (Please Specify)

Summary of Technical Specifications and Performance Requirements:

Describe the manufacturing processes (elaborate to provide as much detail as possible)

Each patented vest entails a window “pocket” comprised of poly-spandex (the top) attached to a marine vinyl front (bottom facing outward) and soft spacer material back (bottom facing the car). It also includes a poly-spandex “sock” for the mirror and a front and rear elastic strap with a vinyl/rubber coated hook.

Provide dimensions / size / tolerances / performance specifications of the item

Dimensions: • Approximate dimensions for C5/C6 Corvettes include 21” high for poly-spandex window and 26” high x 68” long for marine vinyl front and spacer backed door cover. • Approximate dimensions for C7/C8 Corvettes include 23” high for poly-spandex window and 28” high x 73” long for marine vinyl front and spacer backed door cover. Performance Specs: • Poly-spandex material for window and mirror pocket should be 5% spandex and white. • Spacer material (similar to athletic shoes) is on the back of the marine vinyl and must be porous to allow for drainage if wet. • Elastic straps range from 12” to 17”, depending on the generation Corvette and if stretching to the front or rear wheels. • The C8 Vest has two straps on the front; all other models and ends have one strap. • Hooks must be rubber or vinyl coated and comprised of either stainless steel or strong plastic.

List required materials needed to make the product, including materials of product components, if applicable

Marine vinyl, Polyester-spandex, and spacer materials. Also, elastic strap and vinyl/rubber coated hook that is 1.25 inches deep to attach to the “spokes” of each vehicle’s wheel (on each side of the car).

Are there applicable certification requirements?

Yes
No x
Please explain:

Are there any applicable regulations that apply to the production of this item?

Yes
No x
Please explain:

Are there any other standards / requirements?

Yes
No x
Please explain:

Additional Comments:

Additional technical comments:

Prefer to evenly distribute colors in pairs (driver and passenger sides)

Volume and Pricing:

Estimated Potential Business Volume (i.e. #units per day, month, year):	150+ /yr to start
Estimated Target Price / Unit Cost Information:	To be discussed upon provision of an NDA.

Delivery Requirements:

When is it needed by? (Immediate, 30 days, 6 months, etc)	2/6/2024
Describe packaging requirements (i.e. individually / group packaging, etc)	Boxed in bulk (pairs) to 32223 (Jacksonville, FL).
Where will this item be shipped?	32223 (Jacksonville, FL)

Additional Comments:

Is there other information you would like to include?	Dimensions, sizes and detailed specs can be provided upon provision of an NDA.
--	--



