MEPNN Supplier Scouting Opportunity Synopsis

Scouting Number	2025-280
Item to be Scouted	BABA Compliant Robe Hook
Days to be scouted	26
Response Due By	09/29/2025
Description	BABA Compliant: Robe Hook: Single-prong, concealed attachment.
Section 2: Technical Inform	
Type of supplier being sought	Other
Details	BABAA-compliant self-certified manufacturers
Reason	BABA
Describe the manufacturing processes (elaborate to provide as much detail as possible)	Domestic components in each of the BABAA compliant manufactured products must exceed 55% of the total component cost and be assembled in the United States.
Provide dimensions / size / tolerances / performance specifications for the item	See attached specs and mechanical schedule for more information.
List required materials needed to make the product, including materials of product components	See attached specs and mechanical schedule for more information.
Are there applicable certification requirements?	Yes
Details	Build America, Buy America Act (BABAA) compliant
Are there applicable regulations?	Yes
Details	Must be able to submit BABAA manufactured product self-certification manufactured product letter that details a compliant product.
Are there any other stndards, requirements, etc.?	No
Additional Technical Comments	Accessories - General: Shop assembled, free of dents and scratches and packaged complete with anchors and fittings, steel anchor plates, adapters, and anchor components for installation. Chrome/Nickel Plating: ASTM B456, SC 2, polished finish, unless otherwise noted.

Section 4: Business Information	
Estimated potential business volume	TBD post selection. Cost should be the best available, and cannot increase the project cost by 25%.
Estimated target price / unit cost information (if unavailable explain)	TBD post selection. Cost should be the best available, and cannot increase the project cost by 25%.
When is it needed by?	Q1 2026
Describe packaging requirements	Must arrive undamaged
Where will this item be shipped?	Colorado

Additional Comments Is there other information you would like to include? Nationwide Search Provide written documentation in response to the Supplier Scouting request of being a current Build America Buy America Act compliant Robe Hook manufacturer with experience in manufacturing the system components, meeting the product performance requirements. Information on BABAA compliance requirements can be found at the Made in America Office link https://www.madeinamerica.gov/.

BHA COTTONWOOD

GMP SET Feb 4, 2025

1394,1374,1355 Cottonwood Broomfield, CO 80020 Caddis No. 2304

SECTION 102800 TOILET, BATH, AND LAUNDRY ACCESSORIES

PART 2 PRODUCTS

1.01 MANUFACTURERS

A. Provide products of each category type by single manufacturer.

1.02 MATERIALS

- A. Accessories General: Shop assembled, free of dents and scratches and packaged complete with anchors and fittings, steel anchor plates, adapters, and anchor components for installation.
- B. Mirror Glass: Annealed float glass, ASTM C1036 Type I, Class 1, Quality Q2, with silvering, protective and physical characteristics complying with ASTM C1503.

1.03 FINISHES

- A. Stainless Steel: Satin finish, unless otherwise noted.
- B. Chrome/Nickel Plating: ASTM B456, SC 2, polished finish, unless otherwise noted.

1.04 COMMERCIAL TOILET ACCESSORIES

- A. Common House
- B. Toilet Paper Dispenser: Double roll, surface mounted bracket type, stainless steel, spindleless type for tension spring delivery designed to prevent theft of tissue roll.
- C. Combination Towel Dispenser/Waste Receptacle: Recessed flush with wall, stainless steel; seamless wall flanges, continuous piano hinges, _____.
- D. Soap Dispenser: Liquid soap dispenser, wall-mounted, surface, with stainless steel cover and horizontal stainless steel tank and working parts; push type soap valve, check valve, and window gauge refill indicator, tumbler lock.
- E. Mirrors: Stainless steel framed, 1/4 inch thick annealed float glass; ASTM C1036.
- F. Grab Bars: Stainless steel, smooth surface.
 - 1. Standard Duty Grab Bars:
 - a. Push/Pull Point Load: 250 pound-force, minimum.
 - b. Dimensions: 1-1/4 inch outside diameter, minimum 0.05 inch wall thickness, exposed flange mounting, 1-1/2 inch clearance between wall and inside of grab bar.
 - c. Length and Configuration: As indicated on drawings.
- G. Combination Sanitary Napkin/Tampon Dispenser with Disposal: Stainless steel, surfacemounted.
- H. Sanitary Napkin Disposal Unit: Stainless steel, surface-mounted, self-closing door, locking bottom panel with full-length stainless steel piano-type hinge, removable receptacle.

1.05 RESIDENTIAL TOILET, SHOWER, AND BATH ACCESSORIES

- A. ADA Stainless-Steel Grab Bars: Textured surface.
 - 1. Push/Pull Point Load: 250 pound-force, minimum.
 - 2. Dimensions: 1-1/4 inch outside diameter, minimum 0.080 inch wall thickness, bracket, 1-1/2 inch clearance between wall and inside of grab bar.
- B. Toilet Paper Dispenser: Single roll, surface mounted.
 - . Material: Chrome-plated zinc alloy; satin finish.
- C. Medicine Cabinet: Metal cabinet, shelves, and door; surface mounted and semi recessed units, refer drawings.
 - 1. Overall Size: inches wide by inches high.
 - 2. Cabinet Construction: Heavy-gauge steel, factory-applied, gloss white, baked-enamel finish. Form body in one piece, without seams, and with rounded inside corners.

BHA COTTONWOOD

GMP SET Feb 4, 2025

1394,1374,1355 Cottonwood

Broomfield, CO 80020

Caddis No. 2304

- 3. Shelves: Adjustable, glass; provide not less than three shelves.
- 4. Door Type: Mirror with satin finish stainless steel frame.
- 5. Single Door: Fitted with continuous piano-type hinge, shock-absorbing spring-and-rod door stop, magnetized catch, right-hand swing, reversible type.
- D. Towel Bar: Square tubular bar; rectangular mounting posts, concealed attachment.
 - 1. Mounting Post Material: Chrome-plated zinc alloy; satin finish.
 - 2. Bar Material: to match post material.; satin finish.
- E. Towel Ring: Post with hanging ring, concealed attachment.
 - 1. Post Material: Chrome-plated zinc alloy; satin finish.
 - 2. Ring Material: To match post material.
- F. Shower Curtain Rod: Straight tube, 1 inch diameter, with mounting flanges for concealed attachment.
 - Material: Aluminum: satin finish.
- G. Robe Hook: Single-prong, concealed attachment.
 - 1. Material: Chrome-plated zinc alloy; satin finish.

1.06 UNDER-LAVATORY PIPE AND SUPPLY COVERS

- A. Under-Lavatory Pipe and Supply Covers: Anti-scalding protection covers where pipes exposed, color to match lavatory.
 - 1. Insulate exposed drainage piping, including hot, cold, and tempered water supplies under lavatories or sinks to comply with ADA Standards.

PART 3 EXECUTION

2.01 INSTALLATION

- Install accessories in accordance with manufacturers' instructions in locations indicated on drawings.
- B. Mounting Heights: As required by accessibility regulations, unless otherwise indicated.

END OF SECTION