MEPNN Supplier Scouting Opportunity Synopsis

Section 1: General Information	
Scouting Number	2025-288
Item to be Scouted	BABA CCTV Equipment
Days to be scouted	26
Response Due By	09/29/2025
Description	BABA Compliant CCTV Equipment
State item to be used in	Colorado
Section 2: Technical Information	
Type of supplier being sought	Other
Details	BABAA-compliant self-certified manufacturers
Reason	BABA
Describe the manufacturing processes (elaborate to provide as much detail as possible)	Domestic components in each of the BABAA compliant manufactured products must exceed 55% of the total component cost and be assembled in the United States.
Provide dimensions / size / tolerances / performance specifications for the item	See attached specs and mechanical schedule for more information.
List required materials needed to make the product, including materials of product components	See attached specs and mechanical schedule for more information.
Are there applicable certification requirements?	Yes
Details	Build America, Buy America Act (BABAA) compliant
Are there applicable regulations?	Yes
Details	Must be able to submit BABAA manufactured product self-certification manufactured product letter that details a compliant product.
Are there any other stndards, requirements, etc.?	No
Additional Technical Comments	Section 28 23 01 Interconnected Intercom & CCTV system a. Bill of materials showing quantities and model numbers. b. Manufacturer's product data on all proposed equipment. c. System wiring schematic. d. Written sequence of operation for various components: e. Video control and/or recording equipment. f. Drawing of proposed racks, enclosures, supports, etc.

Section 4: Business Information		
Estimated potential business volume	TBD post selection. Cost should be the best available, and cannot increase the project cost by 25%.	
Estimated target price / unit cost information (if unavailable explain)	TBD post selection. Cost should be the best available, and cannot increase the project cost by 25%.	
When is it needed by?	Q1 2026	
Describe packaging requirements	Must arrive undamaged	
Where will this item be shipped?	Colorado	

Additional Comments

Is there other information you would like to include?

Nationwide Search

Provide written documentation in response to the Supplier Scouting request of being a current Build America Buy America Act compliant CCTV Equipment manufacturer with experience in manufacturing the system components, meeting the product performance requirements.

Information on BABAA compliance requirements can be found at the Made in America Office link https://www.madeinamerica.gov/.

1394,1374,1355 Cottonwood Broomfield, CO 80020 Caddis No. 2304 **GMP SET** Feb 4, 2025

Division 26 - Electrical

- e. Details/drawing of system configuration.
- 20. Section 28 23 01 Interconnected Intercom & CCTV system
 - a. Bill of materials showing quantities and model numbers.
 - b. Manufacturer's product data on all proposed equipment.
 - c. System wiring schematic.
 - d. Written sequence of operation for various components:
 - e. Video control and/or recording equipment.
 - f. Drawing of proposed racks, enclosures, supports, etc.
- 21. Section 28 31 00 Fire Detection and Alarm System
 - a. Bill of materials showing quantities and model numbers.
 - b. Manufacturer's product data on all proposed equipment.
 - c. System wiring schematic.
 - d. List of all system program points with device ID.
 - e. Device schedule matrix
 - f. Written sequence of operation for all modes
 - g. Graphic Annunciator Panel drawing
 - h. Scaled Floor Plans
 - i. Calculations for Battery power and Voltage drop
 - j. Copy of AHJ Final Inspection / Approval

1.6 QUALITY ASSURANCE

- A. Listing and Labeling: Provide products specified in this Section that are listed and labeled.
 - 1. The Terms "Listed and Labeled": As defined in the National Electrical Code, Article 100.
 - Listing and Labeling Agency Qualifications: A "Nationally Recognized Testing Laboratory" (NRTL) as defined in OSHA Regulation 1910.7.
- B. Underwriter's Laboratory (UL) Requirements: All equipment containing electrical components and provided under Division 26, 27 and 28 shall bear the Underwriter's Laboratory (UL) label, as a complete packaged system.
- C. Field Certifications and Labeling:
 - 1. Equipment not provided with a UL label shall be tested in the field, certified and provided with a listed label at the installer's expense.
 - a. Field testing shall be performed by a testing agency approved by the authority having jurisdiction.
 - b. Provide services of a UL recognized, independent Electrical Testing Laboratory (ETL) to provide field inspection and testing. Provide an ETL Label on all such equipment as proof of satisfactory inspection.
- D. Fire Safe Materials: Unless otherwise indicated, materials shall conform to UL, National Fire Protection Agency (NFPA) or American Society for Testing and Materials (ASTM) standards for fire safety with smoke and fire hazard rating not exceeding flame spread of 25 and smoke developed of 50.
- E. Install all components and equipment per manufacturer's written instructions.
- F. Installer Qualifications: