

MEPNN Supplier Scouting Opportunity Synopsis

Section 1: General Information

Scouting Number	2025-318
Item to be Scouted	BABA Compliant Custom Millwork
Days to be scouted	26
Response Due By	09/29/2025
Description	BABA Compliant: Drawer and Door Pulls: "U" shaped wire pull, steel with satin finish, 4 inch centers

Section 2: Technical Information

Type of supplier being sought	2. Static Load Capacity: Commercial grade. Other 3. Mounting: Side mounted.
Details	4. Stops: Integral type.
Reason	5. Features: Provide self-closing/stay-closed/soft-close type. BABA Hinges: European style concealed, self-closing type, steel with satin finish.
Describe the manufacturing processes (elaborate to provide as much detail as possible)	1. Features: Provide self-closing/stay-closed/soft-close type. Domestic components in each of the BABA compliant manufactured products must exceed 55% of the total component cost and be assembled in the United States
Provide dimensions / size / tolerances / performance specifications for the item	See attached specs and mechanical schedule for more information.
List required materials needed to make the product, including materials of product components	See attached specs and mechanical schedule for more information.
Are there applicable certification requirements?	Yes
Details	Build America, Buy America Act (BABAA) compliant
Are there applicable regulations?	Yes
Details	Must be able to submit BABAA manufactured product self-certification manufactured product letter that details a compliant product.
Are there any other standards, requirements, etc.?	No
Additional Technical Comments	See attached specs and mechanical schedule for more information.

Section 4: Business Information

Estimated potential business volume	TBD post selection. Cost should be the best available, and cannot increase the project cost by 25%.
Estimated target price / unit cost information (if unavailable explain)	TBD post selection. Cost should be the best available, and cannot increase the project cost by 25%.
When is it needed by?	Q1 2026
Describe packaging requirements	Must arrive undamaged
Where will this item be shipped?	Colorado

Additional Comments

Is there other information you would like to include?	<p>Nationwide Search</p> <p>Provide written documentation in response to the Supplier Scouting request of being a current Build America Buy America Custom Millwork manufacturer with experience in manufacturing the system components, meeting the product performance requirements.</p> <p>Information on BABAA compliance requirements can be found at the Made in America Office link https://www.madeinamerica.gov/.</p>
---	---

- d. Laminate Backer: BKL, 0.020 inch nominal thickness, undecorated; for application to concealed backside of panels faced with high pressure decorative laminate.

2.04 COUNTERTOPS

- A. Countertops: See Section 12 3600.

2.05 ACCESSORIES

- A. Adhesive: Type recommended by fabricator to suit application.
 - 1. General: Comply with volatile organic compound (VOC) content and emissions restrictions specified in Section 01 6116 - VOC Content and Emissions Restrictions.
- B. Fasteners: Size and type to suit application.
- C. Bolts, Nuts, Washers, Lags, Pins, and Screws: Of size and type to suit application; galvanized or chrome-plated finish in concealed locations and stainless steel or chrome-plated finish in exposed locations.
- D. Concealed Joint Fasteners: Threaded steel.

2.06 HARDWARE

- A. Hardware: BHMA A156.9, types as recommended by fabricator for quality grade specified, unless otherwise specified in this Section.
- B. Adjustable Shelf Supports: Standard side-mounted system using recessed metal shelf standards or multiple holes for pin supports and coordinated self rests, polished chrome finish, for nominal 1 inch spacing adjustments.
- C. Drawer and Door Pulls: As specified on Drawings.
 - 1. Finish: Selected from manufacturer's standard line.
- D. Cabinet Locks: Keyed cabinet-grade lock, two keys per lock, steel with satin finish.
 - 1. Finish: Selected from manufacturer's standard line.
- E. Drawer Slides:
 - 1. Type: Full extension with overtravel.
 - 2. Static Load Capacity: Commercial grade.
 - 3. Mounting: Side mounted.
 - 4. Stops: Integral type.
 - 5. Finish: Selected from manufacturer's standard line.
 - 6. Features: Provide self-closing/stay-closed/soft-close type.
- F. Hinges: European style concealed, self-closing type, steel with satin finish.
 - 1. Finish: Selected from manufacturer's standard line.
 - 2. Features: Provide self-closing/stay-closed/soft-close type.
- G. Door Bumpers: Drilled-in, clear, soft plastic.

2.07 FABRICATION

- A. Assembly: Shop assemble cabinets for delivery to site in units easily handled and to permit passage through building openings.
- B. Edging: Fit shelves, doors, and exposed edges with specified edging. Do not use more than one piece for any single length.